

ALAN TORRES

PUBLICATIONS - CURRENT MARCH 2011

BOOK CHAPTER:

1. **Torres, A.M.**, Bansal, P.S., Alewood, P.F., Geraghty, D.P. and Kuchel, P.W. (2007) Determination of D-amino-acid residues in peptides from animal venom by NMR: application to platypus venom peptides OvCNPs. In *D-Amino Acids* (Konno, R., ed.), pp. 379-387. Nova Science Publishers, Inc., Hauppauge, N. Y.
2. **Torres A**, Price W, 2011, Chapter 5; *Introduction to Nuclear Magnetic Resonance. in Metallointercalators Synthesis and Techniques to Probe their Interactions with Biomolecules.*, Prof Janice R Aldrich-Wright, New York, pp 129-141.

JOURNAL PUBLICATIONS (REFEREED):

1. **Torres, A.M.**, McClung, R.E.D. and Nakashima, T.T. (1990). Compensated Apt Pulse Sequences. *J. Magn. Reson.* **87**, 189-193.
2. **Torres, A.M.** and McClung, R.E.D. (1991). J-Compensated Dept Sequences. *J. Magn. Reson.* **92**, 45-63.
3. **Torres, A.M.**, Nakashima, T.T. and McClung, R.E.D. (1992). Efficiency of Purging Sequences in the Long-Range Heteronuclear Shift Correlation Experiment. *J. Magn. Reson.* **96**, 103-118.
4. **Torres, A.M.**, Nakashima, T.T., McClung, R.E.D. and Muhandiram, D.R. (1992). Improvement of Inadequate Using Compensated Delays and Pulses. *J. Magn. Reson.* **99**, 99-117.
5. **Torres, A.M.**, Nakashima, T.T. and McClung, R.E.D. (1993). J-Compensated Proton-Detected Heteronuclear Shift-Correlation Experiments. *J. Magn. Reson. Ser. A* **102**, 219-227.
6. **Torres, A.M.**, Nakashima, T.T. and McClung, R.E.D. (1993). Improved J-Compensated Apt Experiments. *J. Magn. Reson. Ser. A* **101**, 285-294.
7. **Torres, A.M.**, Forbes, B.E., Aplin, S.E., Wallace, J.C., Francis, G.L. and Norton, R.S. (1995). Solution structure of human insulin-like growth factor ii - relationship to receptor and binding protein interactions. *J. Mol. Biol.* **248**, 385-401.
8. Baguet, E., Chapman, B.E., **Torres, A.M.** and Kuchel, P.W. (1996). Determination of the bound water fraction in cells and protein solutions using o-17-water multiple-quantum filtered relaxation analysis. *J. Magn. Reson. Ser. B* **111**, 1-8.
9. Baguet, E., Hennebert, N., Chapman, B.E., **Torres, A.M.** and Kuchel, P.W. (1997). Mobility of water in biological systems studied by o-17 nmr via multiple-quantum filtered relaxation analysis. *Magn. Reson. Chem.* **35**, S 47-S 51.
10. **Torres, A.M.**, Grieve, S.M., Chapman, B.E. and Kuchel, P.W. (1997). Strong and weak binding of water to proteins studied by nmr triple-quantum filtered relaxation spectroscopy of o-17-water. *Biophys. Chem.* **67**, 187-198.
11. Barnham, K.J., **Torres, A.M.**, Alewood, D., Alewood, P.F., Domagala, T., Nice, E.C. and Norton, R.S. (1998). Role of the 6-20 disulfide bridge in the structure and activity of epidermal growth factor. *Protein Sci.* **7**, 1738-49.
12. Grieve, S.M., Wickstead, B., **Torres, A.M.**, Styles, P., Wimperis, S. and Kuchel, P.W. (1998). Multiple-quantum

filtered ^{17}O and ^{23}Na NMR analysis of mitochondrial suspensions. *Biophys. Chem.* **73**, 137-43.

13. **Torres, A.M.**, Grieve, S.M. and Kuchel, P.W. (1998). Nmr triple-quantum filtered relaxation analysis of o-17-water in insulin solutions - an insight into the aggregation of insulin and the properties of its bound water. *Biophys. Chem.* **70**, 231-239.
14. **Torres, A.M.**, Michniewicz, R.J., Chapman, B.E., Young, G.A.R. and Kuchel, P.W. (1998). Characterisation of erythrocyte shapes and sizes by nmr diffusion-diffraction of water - correlations with electron micrographs. *Magn. Reson. Imaging* **16**, 423-434.
15. Yao, S., **Torres, A.M.**, Azad, A.A., Macreadie, I.G. and Norton, R.S. (1998). Solution structure of peptides from HIV-1 Vpr protein that cause membrane permeabilization and growth arrest. *J. Pept. Sci.* **4**, 426-35.
16. **Torres, A.M.**, Taurins, A.T., Regan, D.G., Chapman, B.E. and Kuchel, P.W. (1999). Assignment of coherence features in NMR q-space plots to particular diffusion modes in erythrocyte suspensions. *J. Magn. Reson.* **138**, 135-43.
17. **Torres, A.M.**, Wang, X., Fletcher, J.I., Alewood, D., Alewood, P.F., Smith, R., Simpson, R.J., Nicholson, G.M., Sutherland, S.K., Gallagher, C.H., King, G.F. and Kuchel, P.W. (1999). Solution structure of a defensin-like peptide from platypus venom. *Biochem. J.* **341**, 785-94.
18. **Torres, A.M.**, de Plater, G.M., Doverskog, M., Birinyi-Strachan, L.C., Nicholson, G.M., Gallagher, C.H. and Kuchel, P.W. (2000). Defensin-like peptide-2 from platypus venom: member of a class of peptides with a distinct structural fold. *Biochem. J.* **348**, 649-56.
19. **Torres, A.M.** and Kuchel, P.W. (2000). The platypus and its venom. *The Biochemist*, 22-36.
20. **Torres, A.M.**, Kini, R.M., Selvanayagam, N. and Kuchel, P.W. (2001). NMR structure of bucandin, a neurotoxin from the venom of the Malayan krait (*Bungarus candidus*). *Biochem. J.* **360**, 539-548.
21. **Torres, A.M.**, Alewood, D., Alewood, P.F., Gallagher, C.H. and Kuchel, P.W. (2002). Conformations of platypus venom C-type natriuretic peptide in aqueous solution and sodium dodecyl sulfate micelles. *Toxicon* **40**, 711-9.
22. **Torres, A.M.**, Bubb, W.A. and Kuchel, P.W. (2002). Experiments to detect long-range heteronuclear shift correlations: LR-J-HSMQC. *J. Magn. Reson.* **156**, 249-257.
23. **Torres, A.M.**, Menz, I., Alewood, P.F., Bansal, P., Lahnstein, J., Gallagher, C.H. and Kuchel, P.W. (2002). D-Amino acid residue in the C-type natriuretic peptide from the venom of the mammal, *Ornithorhynchus anatinus*, the Australian platypus. *FEBS Lett.* **524**, 172-6.
24. **Torres, A.M.**, Bansal, P., Alewood, P.F., Bursill, J.A., Kuchel, P.W. and Vandenberg, J.I. (2003). Solution structure of CnErg1 (Ergtoxin), a HERG specific scorpion toxin. *FEBS Lett.* **539**, 138-42.
25. **Torres, A.M.**, Bansal, P.S., Sunde, M., Clarke, C.E., Bursill, J.A., Smith, D.J., Bauskin, A., Breit, S.N., Campbell, T.J., Alewood, P.F., Kuchel, P.W. and Vandenberg, J.I. (2003). Structure of the HERG K⁺ channel S5P extracellular linker - Role of an amphipathic alpha-helix in C-type inactivation. *J. Biol. Chem.* **278**, 42136-42148.
26. **Torres, A.M.**, Wong, H.Y., Desai, M., Moochhala, S., Kuchel, P.W. and Kini, R.M. (2003). Identification of a novel family of proteins in snake venoms - Purification and structural characterization of nawaprin from *Naja nigricollis* snake venom. *J. Biol. Chem.* **278**, 40097-40104.
27. **Torres, A.M.** and Kuchel, P.W. (2004). The beta-defensin-fold family of polypeptides. *Toxicon* **44**, 581-588.
28. Vandenberg, J.I., **Torres, A.M.**, Campbell, T.J. and Kuchel, P.W. (2004). The HERG K⁺ channel: progress in understanding the molecular basis of its unusual gating kinetics. *Eur. Biophys. J.* **33**, 89-97.

29. **Torres, A.M.**, Philp, D.J., Kemp-Harper, R., Garvey, C. and Kuchel, P.W. (2005). Determination of Na⁺ binding parameters by relaxation analysis of selected Na-23 NMR coherences: RNA, BSA and SDS. *Magn. Reson. Chem.* **43**, 217-224.
30. **Torres, A.M.**, Tsampazi, C., Geraghty, D.P., Bansal, P.S., Alewood, P.F. and Kuchel, P.W. (2005). D-amino-acid residue in a defensin-like peptide from platypus venom: effect on structure and chromatographic properties *Biochem. J.* **391**, 215-220.
31. Vandenberg, J.I., Bansal, P.S., **Torres, A.M.**, Kuchel, P.W. and Alewood, P.A. (2005). Molecular basis of CnErg1 binding to HERG K⁺ channels. *J. Mol. Cell. Cardiol.* **39**, 172-173.
32. Kuchel, P.W., Chapman, B.E., Muller, N., Bubb, W.A., Philp, D.J. and **Torres, A.M.** (2006). Apparatus for rapid adjustment of the degree of alignment of NMR samples in aqueous media: Verification with residual quadrupolar splittings in Na-23 and (CS)-C-133 spectra. *J. Magn. Reson.* **180**, 256-265.
33. **Torres, A.M.**, Tsampazi, M., Tsampazi, C., Kennet, E.C., Belov, K., Geraghty, D.P., Bansal, P.S., Alewood, P.F. and Kuchel, P.W. (2006). Mammalian L-to-D-amino-acid-residue isomerase from platypus venom. *FEBS Lett.* **580**, 1587-1591.
34. **Torres, A.M.**, Tsampazi, M., Kennett, E.C., Belov, K., Geraghty, D.P., Bansal, P.S., Alewood, P.F. and Kuchel, P.W. (2007). Characterization and isolation of L-to-D-amino-acid-residue isomerase from platypus venom. *Amino Acids* **32**, 63-68.
35. Bansal, P.S., **Torres, A.M.**, Crossett, B., Wong, K.K.Y., Koh, J.M.S., Geraghty, D.P., Vandenberg, J.I. and Kuchel, P.W. (2008). Substrate Specificity of Platypus Venom L-to-D-Peptide Isomerase. *J. Biol. Chem.* **283**, 8969-8975.
36. **Torres, A.M.**, Bubb, W.A., Philp, D.J. and Kuchel, P.W. (2008). Improved J-compensated sequences based on short composite pulses. *J. Magn. Reson.* **194**, 81-88.
37. **Torres, A.M.**, Dela Cruz, R. and Price, W.S. (2008). Removal of J-coupling peak distortion in PGSE experiments. *J. Magn. Reson.* **193**, 311-316.
38. Wheate, N.J., Kumar, P.G.A., **Torres, A.M.**, Aldrich-Wright, J.R. and Price, W.S. (2008). Examination of Cucurbit[7]uril and Its Host-Guest Complexes by Diffusion Nuclear Magnetic Resonance. *J. Phys. Chem. B* **112**, 2311-2314.
39. Whittington, C.M., Papenfuss, A.T., Bansal, P., **Torres, A.M.**, Wong, E.S.W., Deakin, J.E., Graves, T., Alsop, A., Schatzkamer, K., Kremitzki, C., Ponting, C.P., Temple-Smith, P., Warren, W.C., Kuchel, P.W. and Belov, K. (2008). Defensins and the convergent evolution of platypus and reptile venom genes. *Genome Res.* **18**, 986-994.
40. Yadav, N.N., **Torres, A.M.** and Price, W.S. (2008). An improved approach to calibrating high magnetic field gradients for pulsed field gradient experiments. *J. Magn. Reson.* **194**, 25-28.
41. Zheng, G., Stait-Gardner, T., Anil Kumar, P.G., **Torres, A.M.** and Price, W.S. (2008). PGSTE-WATERGATE: An STE-based PGSE NMR sequence with excellent solvent suppression. *J. Magn. Reson.* **191**, 159-163.
42. Zheng, G., **Torres, A.M.** and Price, W.S. (2008). Solvent suppression using phase-modulated binomial-like sequences and applications to diffusion measurements. *J. Magn. Reson.* **194**, 108-114.
43. Ju, P.C., Pages, G., Riek, R.P., Chen, P.C., **Torres, A.M.**, Bansal, P.S., Kuyucak, S., Kuchel, P.W. and Vandenberg, J.I. (2009). The Pore Domain Outer Helix Contributes to Both Activation and Inactivation of the hERG K⁺ Channel. *J. Biol. Chem.* **284**, 1000-1008.
44. Pages, G., **Torres, A.M.**, Ju, P., Bansal, P.S., Alewood, P.F., Kuchel, P.W. and Vandenberg, J.I. (2009). Structure

of the pore-helix of the hERG K⁺ channel. *Eur. Biophys. J.*, 39 (1), pp. 111-120

45. Whittington, C.M., Koh, J.M.S., Warren, W.C., Papenfuss, A.T., **Torres, A.M.**, Kuchel, P.W. and Belov, K. (2009). Understanding and utilising mammalian venom via a platypus venom transcriptome. *Journal of Proteomics* **72**, 155-164.
46. Zheng, G., **Torres, A.M.** and Price, W.S. (2009). MQ-PGSTE: A new multi-quantum STE-based PGSE NMR sequence. *J. Magn. Reson.* **198**, 271-274.
47. Larkin T, Pages G, **Torres A**, Kuchel P, 2009, Rapid acquisition of NMR diffusion-diffraction q-space plots from erythrocytes with varying gradient orientation in *Diffusion Fundamentals III*, Chmelik, C. Kanellopoulos, N. Kärger, J. Theodorou,D., Leipzig, pp 409-420, [ORS ID: 214007]
48. Koh, J.M.S., Bansal, P.S., **Torres, A.M.**, Kuchel, P.W. (2009) **Platypus venom: Source of novel compounds** *Australian Journal of Zoology* 57 (4), pp. 203-210
49. **Torres, A.M.**, Zheng, G., Price, W.S. (2010) J-compensated PGSE: An improved NMR diffusion experiment with fewer phase distortions *Magnetic Resonance in Chemistry* **48 (2)**, pp. **129-133**
50. Yadav, N.N., Torres, A.M., Price, W.S. (2010) **NMR q-space imaging of macroscopic pores using singlet spin states** *Journal of Magnetic Resonance* **204 (2)**, 346-348
51. Price W, Stait-Gardner T, **Torres A**, Zheng G, (2010) Developements in NMR Diffusion Measurements and q-space Imaging, *Chinese Journal of Magnetic Resonance*, **27(3)**, 267-288
52. Zheng G, **Torres A**, Ali M, Manolios N, Price W, 2011, NMR study of structure and self-association of core peptide in aqueous solution and DPC micelles, *Biopolymers (Pept. Sci.)*, **96(2)** 177-180